



Double Stage Shrinkage Estimation of the Reliability Function of the Proportional Hazard Family of Distribution Function under Different Loss Functions Using Progressive Type II Censored Sample

Alaa. K. Jiheel and Ashok Shanubhogue

Department of Statistics,
Sardar Patel University, Gujarat, India

Abstract

In this paper we propose two double stage shrinkage estimators of the reliability function of the proportional hazard family of distribution functions, using progressive type II censored sample. The risk functions and relative risk functions of the suggested estimators are derived under symmetric and asymmetric loss functions, viz., the squared error loss function and the general entropy loss function. The results show that the proposed estimators have better performance than a classical estimator in terms relative risk.

Keywords and phrases: double shrinkage estimation; reliability function; progressive type II censored sample.

2010 Mathematics Subject Classification: 62J07, 62N01, 62N02, 62N05.



Council for Innovative Research

Peer Review Research Publishing System

Journal: Journal of Advances in Mathematics

Vol 8, No. 1

editor@cirjam.com

www.cirworld.org, www.jam.cirworld.com



1. Introduction

One of the important probability models of family of distributions in reliability and life experiments is the proportional hazard family of distribution functions. It was originally proposed by Cox (1972) and later it was referred as Cox's proportional hazard regression model. The model led to the proportional hazard family of distribution functions which includes several well-known life distributions such as exponential distribution, Pareto (type I and type II) distribution, beta distribution, Burr type XII distribution etc as special cases. The proportional hazard family of distribution functions is defined as follows.

Let us consider the continuous random variable X with the cumulative distribution function (cdf) $F(x;\theta)$. The proportional hazard family of distribution functions with underlying distribution F_0 is defined as

$$F(x;\theta) = 1 - [\bar{F}_0(x)]^\theta, \quad -\infty < c < x < d < \infty, \quad \theta > 0, \quad (1)$$

where $\bar{F}_0(x) = 1 - F_0(x)$, and F_0 is an arbitrary continuous cumulative distribution function with $F_0(c) = 0$, $F_0(d) = 1$. The family in (1) was studied by many authors such as Tibshirani and Ciampi (1983), Fergusson et al (1984) (applied this family in the study of family breakdown). In recent years Asgharzadeh and Valiollahi (2009, 2010) and Liang Wang and Yimin Shi (2012) studied it under progressive censored sample.

The reliability of a given system (or component) for a given time has been defined as the probability that the system (or component) functions longer than the time of duration t , and is given by

$$R(t) = P(X > t) = 1 - F(t;\theta), \quad t > 0 \quad (2)$$

From (1) the reliability function (at some time t) and probability density function (pdf) are respectively given by

$$R(t) = [\bar{F}_0(t)]^\theta \quad (3)$$

$$f(x;\theta) = \theta f_0(x) [\bar{F}_0(x)]^{\theta-1}, \quad -\infty < c < x < d < \infty, \quad \theta > 0 \quad (4)$$

where
$$f_0(x) = \frac{dF_0(x)}{dx}.$$

The prior information of about the unknown parameter θ as an initial guess value θ_0 , based on the past experience, must be used while estimating θ . Thompson (1968) suggested single stage shrinkage estimation by modifying the usual estimator of the unknown parameter θ by moving it closer to θ_0 . The shrinkage estimator performs better than the usual estimator when the initial value is close to the true value of the parameter θ . The shrinkage estimators have been discussed for different parameters or parametric functions under different life of distributions by number of authors. With respect to reliability function Pandey and Upadhyay (1985) studied the problem of Bayes shrinkage estimation of reliability function from type II censored sample with exponential failure model. Later Chiou (1992, 1993) suggested and studied properties some empirical Bayes and ordinary shrinkage estimators of reliability function for exponential distribution. Recently Al Hemyari and Jehel (2011) proposed pooling shrinkage estimator of reliability function for exponential model using the sampling plan (n, C, T) here n stands initial experimental units, C for renewal and T for stopping time of the experiment. Finally, Shanubhogue and Jiheel (2013) suggested and studied properties single stage shrinkage estimators of the reliability function of the proportional hazard family of distribution functions under and asymmetric loss functions using progressive type II censored sample.

It's important in estimation how we get a good estimators using minimum number of sample units and economize the cost of experimentation. Therefore, the double stage pooling estimation is a good procedure to achieve this goal. Katti (1962) suggested two stage pooling estimation for estimating the mean of the normal distribution when the variance is known and the initial value μ_0 of μ is given. He used the initial value only to construct a region for of the mean of the first sample, i.e., if the mean of the first sample belongs to this region the it will be used as estimate of μ otherwise second sample will be drawn and pooled mean will be constructed as estimator of μ . Arnold and Al-Bayyati (1970, 1972) proposed the double stage shrinkage estimator for the mean of the normal distribution and parameters of regression model, using the first stage sample to test the accuracy of initial value and if it is accurate then use shrinkage of the usual estimator towards a initial value, otherwise use pooled estimator as suggested in Katti (1962). On the line of this many authors study double stage shrinkage estimations like Waikar et al (1984), Adke et al (1987), Handa et al (1988) and Kambo et al (1991). Recently Srivastava and Tanna (2007), Al-Hemyari (2009) and Prakash and Singh (2009) studied similar type shrinkage estimation for different life distributions under various sampling schemes.

Therefore, the aim of this article is to extend Shanubhogue and Jiheel (2013) work from single stage to double stage shrinkage estimators of reliability function for the proportional hazard family of distribution functions and study the properties under symmetric and asymmetric loss functions using progressive type II censored sample.

In progressive type II censored sample the experimenter put n identical units, with life time distribution having cumulative function $F(x)$ and probability density function $f(x)$, for life testing. After observing the first failure, R_1 surviving units are removed from the test at random; next, immediately following the second failure, R_2 surviving units are removed



from the test at random, and so on ; finally ,at the time of the m^{th} failure all the remaining $R_m = n - m - \sum_{i=1}^{m-1} R_i$ surviving units are removed from the test. In this progressive censoring scheme R_1, R_2, \dots, R_m are assumed to be pre-fixed . The complete sample and usual censored sample are special cases of type II progressive censored scheme. If $R_1 = R_2 = \dots = R_m = 0$ we get complete sample and if $R_1 = R_2 = \dots = R_{m-1} = 0, R_m = n - m$ we get type II censored sample. Balakrishnan (2007) gives a complete idea and developments on progressive censored sample.

2. Double Shrinkage Estimators of $R(t)$

Let $X_{1:m:n}, X_{2:m:n}, \dots, X_{m:m:n}$ be Type II progressive censored sample from the proportional hazard family (1). Then the joint density of the progressive censored sample (see Balakrishnan and Aggarwala 2000) is

$$f(x_{1:m:n}, x_{2:m:n}, \dots, x_{m:m:n}) = C \prod_{i=1}^m f(x_{i:m:n}) (1 - F(x_{i:m:n}))^{R_i}, \quad 0 \leq x_{1:m:n} \leq x_{2:m:n} \leq \dots \leq x_{m:m:n}, \quad (5)$$

where $C = n(n-R_1-1)(n-R_1-R_2-2) \dots (n-R_1-R_2-\dots-R_{m-1}-m+1)$. Substituting (1) and (4) in (5) we get

$$f(x_{1:m:n}, x_{2:m:n}, \dots, x_{m:m:n}) = C \prod_{i=1}^m \frac{f_0(x_{i:m:n})}{\bar{F}_0(x_{i:m:n})} \theta^m e^{-\theta S}, \quad 0 \leq x_{1:m:n} \leq x_{2:m:n} \leq \dots \leq x_{m:m:n} \quad (6)$$

where $S = -\sum_{i=1}^m (R_i + 1) \text{Ln} \bar{F}_0(x_{i:m:n})$. The log likelihood function can be written as

$$L(x_{1:m:n}, x_{2:m:n}, \dots, x_{m:m:n}) = \text{Ln}(C) + \sum_{i=1}^m \text{Ln} \left(\frac{f_0(x_{i:m:n})}{\bar{F}_0(x_{i:m:n})} \right) + m \text{Ln} \theta - \theta S$$

Then the MLE of θ is

$$\hat{\theta} = \frac{m}{S}$$

Now, by replacing θ by its MLE $\hat{\theta}$ in (4) we get the MLE of reliability function of proportional hazard family function as

$$\hat{R}(t) = [\bar{F}_0(t)]^{\hat{\theta}} \quad (7)$$

It is seen that (from Asgharzadeh and Valiollahi (2009)) S has Gamma distribution with parameters m and θ . By using the result we can show that the distribution of $\hat{\theta}$ has distribution as

$$f(\hat{\theta}; \theta) = \frac{(m\theta)^m \exp(-\frac{m\theta}{\hat{\theta}})}{\Gamma(m) (\hat{\theta})^{m+1}}, \quad \hat{\theta} > 0 \quad (8)$$

Now, let ${}_1X_{i:m_1:n_1}, (i = 1, 2, \dots, m_1)$ with schemes $R_{1i}, (i = 1, 2, \dots, m_1)$ and ${}_2X_{j:m_2:n_2}, (j = 1, 2, \dots, m_2)$ with schemes $R_{2j}, (j = 1, 2, \dots, m_2)$ be the two independent progressive censored samples of size m_1 and m_2 respectively, drawn from the distribution defined in (1). Then by (4) the ML estimators for the scale parameter θ based on the first sample and the second sample are given respectively

$$\hat{\theta}_1 = \frac{m_1}{S_1}, \quad (9)$$

where $S_1 = -\sum_{i=1}^{m_1} (R_{1i} + 1) \text{Ln} \bar{F}_0({}_1x_{i:m_1:n_1})$,



$$\hat{\theta}_2 = \frac{m_2}{S_2}, \quad (10)$$

where $S_2 = -\sum_{j=1}^{m_2} (R_j + 1) \text{Ln} \bar{F}_0(x_{j:m:m})$,

and the pooled estimator of θ is given

$$\hat{\theta}_p = \frac{m_1 \hat{\theta}_1 + m_2 \hat{\theta}_2}{m_1 + m_2}. \quad (11)$$

Now, by replacing θ by its MLE $\hat{\theta}$ of the first sample, second sample and pooled estimator in (4) we get the MLE of reliability function of proportional hazard family for first, second and pooled estimator respectively as

$$\hat{R}_1(t) = [F_0(t)]^{\hat{\theta}_1}, \quad (12)$$

$$\hat{R}_2(t) = [F_0(t)]^{\hat{\theta}_2} \quad (13)$$

and $\hat{R}_p(t) = [F_0(t)]^{\hat{\theta}_p}. \quad (14)$

Depending on the testing of hypothesis $H_0: \theta = \theta_0$ against $H_1: \theta \neq \theta_0$ at level α , if H_0 accepted we use only first sample and take the shrinkage estimator $[F_0(t)]^{k \hat{\theta}_1 + (1-k) \theta_0}$ or $k[F_0(t)]^{\hat{\theta}_1} + (1-k)[F_0(t)]^{\theta_0}$. Otherwise we drawn a second sample and take the estimator defined in (14). Therefore, we proposed the following two double shrinkage estimators,

$$\tilde{R}_1(t) = \begin{cases} [F_0(t)]^{k \hat{\theta}_1 + (1-k) \theta_0} & H_0 : \theta = \theta_0 \text{ Accepted} \\ [F_0(t)]^{\hat{\theta}_p} & \text{otherwise} \end{cases} \quad (15)$$

$$\tilde{R}_2(t) = \begin{cases} k[F_0(t)]^{\hat{\theta}_1} + (1-k)[F_0(t)]^{\theta_0} & H_0 : \theta = \theta_0 \text{ Accepted} \\ [F_0(t)]^{\hat{\theta}_p} & \text{otherwise} \end{cases} \quad (16)$$

In next section, we derive risks of the estimators under symmetric loss function (square error loss function (SELF)) and asymmetric loss function (general entropy loss function (GELF)). As many real life situations over estimation or under estimation are not of equal consequences and hence for such situations, a useful asymmetric loss function is LINEX loss function introduced by Varian (1975). It is given by

$$L(\Delta) = b(e^{a\Delta} - a\Delta - 1) \quad (17)$$

where $\Delta = \frac{\hat{\theta}}{\theta} - 1$, b is the scale parameter and a is the shape parameter. The sign and values of a respectively represent the direction and degree of asymmetry. The positive value of a is used when over estimation is more serious than under estimation and negative value is used for the other case. If we replace a by q , $b=1$ and Δ by $\text{Ln}(\Delta)$ then we get another loss called GELF proposed by Calabria and Pulcini (1996) and is

$$L(\Delta) = \Delta^q - q \text{Ln}(\Delta) - 1; \quad q \neq 0, \Delta = \frac{\hat{\theta}}{\theta} \quad (18)$$

Here q plays the same role as in LINEX loss function.



3. Risk of the estimators

3.1 The Risk of the MLE estimator $\hat{R}_p(t)$

The risk of the estimator $\hat{R}(t)$ under GELF is defined as follows.

$$R_{\text{GELF}}(\hat{R}_p(t)) = E(\hat{R}_p(t) | \text{GELF})$$

$$= \int_0^\infty \int_0^\infty \left[\left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right)^q - q \text{Ln} \left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right) - 1 \right] f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2,$$

where $f(\hat{\theta}_i; \theta)$; $i=1,2$ define in (8).

Now, by using the transformation $x = \frac{\hat{\theta}_1}{m_1 \theta}$, $y = \frac{\hat{\theta}_2}{m_2 \theta}$ and substituting in the integrals above, we get

$$R_{\text{GELF}}(\hat{R}_p(t)) = \exp(qp) \int_0^\infty \frac{\exp(-(\frac{qp m_1^2}{m_1 + m_2} x + \frac{1}{x}))}{\Gamma(m_1) x^{m_1+1}} dx \int_0^\infty \frac{\exp(-(\frac{qp m_2^2}{m_1 + m_2} y + \frac{1}{y}))}{\Gamma(m_2) y^{m_2+1}} dy$$

$$+ \frac{qp m_1^2}{m_1 + m_2} \int_0^\infty \frac{\exp(-1/x)}{\Gamma(m_1) x^{m_1}} dx + \frac{qp m_2^2}{m_1 + m_2} \int_0^\infty \frac{\exp(-1/y)}{\Gamma(m_2) y^{m_2}} dy - qp - 1$$

where $p = -\theta \text{Ln}(\bar{F}_0(t))$. To evaluate the first integrals in the above expression we recall a result due to Watson (1952), viz.

$$\int_0^\infty \frac{\exp(-(a z + \frac{b}{z}))}{z^r} dz = 2 \left(\frac{a}{b} \right)^{\frac{(r-1)}{2}} K_{r-1}(2\sqrt{ab}) \quad (19)$$

where $K_r(\cdot)$ is the modified Bessel function of the second kind of order r for $r = 0, 1, 2, \dots$. Substituting $r = m_i + 1$ and $a = \frac{qp m_i^2}{m_1 + m_2}$, where $i=1, 2$ and $b=1$ we obtain

$$R_{\text{GELF}}(R_p(t)) = \frac{4 \exp(qp) \left(\frac{qp m_1^2}{m_1 + m_2} \right)^{(m_1/2)} \left(\frac{qp m_2^2}{m_1 + m_2} \right)^{(m_2/2)}}{\Gamma(m_1) \Gamma(m_2)} K_{m_1} \left(2 \sqrt{\frac{qp m_1^2}{m_1 + m_2}} \right) K_{m_2} \left(2 \sqrt{\frac{qp m_2^2}{m_1 + m_2}} \right)$$

$$+ \frac{qp}{m_1 + m_2} \left(\frac{m_1^2}{m_1 - 1} + \frac{m_2^2}{m_2 - 1} \right) - qp - 1 \quad (20)$$

Also, we can define the risk of estimator $\hat{R}(t)$ under SELF as

$$R_{\text{SELF}}(\hat{R}_p(t)) = E(\hat{R}_p(t) - R(t))^2$$

$$= \int_0^\infty \int_0^\infty ([\bar{F}_0(t)]^{\hat{\theta}_p} - [F_0(t)]^\theta)^2 f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2.$$



By using same the transformation $x = \frac{\hat{\theta}_1}{m_1 \theta}$, $y = \frac{\hat{\theta}_2}{m_2 \theta}$ and the other required results we get

$$R_{SELF}(\hat{R}_p(t)) = \frac{4 \left(\frac{2pm_1^2}{m_1+m_2} \right)^{(m_1/2)} \left(\frac{2pm_2^2}{m_1+m_2} \right)^{(m_2/2)}}{\Gamma(m_1)\Gamma(m_2)} K_{m_1} \left(2\sqrt{\frac{2pm_1^2}{m_1+m_2}} \right) K_{m_2} \left(2\sqrt{\frac{2pm_2^2}{m_1+m_2}} \right) \\ - \frac{8 \exp(-p) \left(\frac{pm_1^2}{m_1+m_2} \right)^{(m_1/2)} \left(\frac{pm_2^2}{m_1+m_2} \right)^{(m_2/2)}}{\Gamma(m_1)\Gamma(m_2)} K_{m_1} \left(2\sqrt{\frac{pm_1^2}{m_1+m_2}} \right) K_{m_2} \left(2\sqrt{\frac{pm_2^2}{m_1+m_2}} \right) + \exp(-2p) \quad (21)$$

3.2 The Risk of the shrinkage estimator $\tilde{R}_1(t)$

The risk of the estimator $\tilde{R}_1(t)$ under GELF is defined as follows:

$$R_{GELF}(\tilde{R}_1(t)) = E(\tilde{R}_1(t) | GELF)$$

$$= \int_{r_1}^{r_2} \left[\left(\frac{[\bar{F}_0(t)]^{k\hat{\theta}_1 + (1-k)\theta_0}}{[\bar{F}_0(t)]^\theta} \right)^q - q \text{Ln} \left[\frac{[\bar{F}_0(t)]^{k\hat{\theta}_1 + (1-k)\theta_0}}{[\bar{F}_0(t)]^\theta} \right] - 1 \right] f(\hat{\theta}_1; \theta) d\hat{\theta} \\ + \int_0^\infty \int_0^\infty \left[\left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right)^q - q \text{Ln} \left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right) - 1 \right] f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2 \\ - \int_0^\infty \int_{r_1}^{r_2} \left[\left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right)^q - q \text{Ln} \left(\frac{[F_0(t)]^{\hat{\theta}_p}}{[F_0(t)]^{\theta_0}} \right) - 1 \right] f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2$$

where r_1 and r_2 are boundaries of the acceptance region of a test of the hypothesis $H_0: \theta = \theta_0$ against the alternative $H_1: \theta \neq \theta_0$. Define $r_1 = \frac{2m_1\theta_0}{\chi_2^2}$, $r_2 = \frac{2m_2\theta_0}{\chi_1^2}$ where χ_1^2 and χ_2^2 are respectively lower and upper α^{th} percentile values

of chi-square distribution with $2m$ degrees of freedom. Now, also by using the transformation $x = \frac{\hat{\theta}_1}{m_1 \theta}$, $y = \frac{\hat{\theta}_2}{m_2 \theta}$ and evaluating the integrals in the expression for GELF we get



$$\begin{aligned}
 R_{\text{SELF}}(\tilde{R}_1(t)) &= \exp(qp(1 - (1 - k)\lambda)) \int_{r_1'}^{r_2'} \frac{\exp(-(qp m_1 kx + \frac{1}{x}))}{\Gamma(m_1) x^{m_1+1}} dx \\
 &+ \frac{qp m_1 k}{m_1 - 1} \left[I\left(\frac{1}{r_1'}, m_1 - 1\right) - I\left(\frac{1}{r_2'}, m_1 - 1\right) \right] + qp(1 - k)\lambda \left[I\left(\frac{1}{r_1'}, m_1\right) - I\left(\frac{1}{r_2'}, m_1\right) \right] \\
 &+ \frac{2\exp(qp)\left(\frac{qp m_2^2}{m_1 + m_2}\right)^{\frac{m_2}{2}} k_m \left(2\sqrt{\frac{qp m_2^2}{m_1 + m_2}}\right)}{\Gamma(m_1)\Gamma(m_2)} \left[\begin{aligned} &2\exp(qp)\left(\frac{qp m_1^2}{m_1 + m_2}\right)^{\frac{m_1}{2}} k_m \left(2\sqrt{\frac{qp m_1^2}{m_1 + m_2}}\right) \\ &- \int_{r_1'}^{r_2'} \frac{\exp\left(-\left(\frac{qp m_2^2}{m_1 + m_2}x + \frac{1}{x}\right)\right)}{x^{m_1+1}} dx \end{aligned} \right] \quad (22) \\
 &+ \frac{qp m_1^2}{(m_1 + m_2)(m_1 - 1)} \left[1 - \left[I\left(\frac{1}{r_1'}, m_1 - 1\right) - I\left(\frac{1}{r_2'}, m_1 - 1\right) \right] \right] \\
 &+ \frac{qp m_2^2}{(m_1 + m_2)(m_2 - 1)} \left[1 - \left[I\left(\frac{1}{r_1'}, m_1\right) - I\left(\frac{1}{r_2'}, m_1\right) \right] \right] - qp - 1
 \end{aligned}$$

where $r_1' = \frac{2\lambda}{\chi_2^2}$, $r_2' = \frac{2\lambda}{\chi_1^2}$, $\lambda = \frac{\theta_0}{\theta}$ and $I(x, n)$ is the cdf of the gamma distribution given by $I(x, n) = \frac{\int_0^x t^{n-1} e^{-t} dt}{\Gamma(n)}$.

Now, we can define the risk of estimator $\tilde{R}_1(t)$ under SELF as

$$\begin{aligned}
 R_{\text{SELF}}(\tilde{R}_1(t)) &= E(\tilde{R}_1(t) - R(t))^2 \\
 &= \int_{r_1'}^{r_2'} ([\bar{F}_0(t)]^{k\hat{\theta}_1 + (1-k)\theta_0} - [F_0(t)]^\theta)^2 f(\hat{\theta}_1; \theta) d\hat{\theta}_1 + \int_0^\infty \int_0^\infty ([\bar{F}_0(t)]^{\hat{\theta}_p} - [F_0(t)]^\theta)^2 f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2 \\
 &= \int_0^\infty \int_{r_1'}^{r_2'} ([\bar{F}_0(t)]^{\hat{\theta}_p} - [F_0(t)]^\theta)^2 f(\hat{\theta}_1; \theta) f(\hat{\theta}_2; \theta) d\hat{\theta}_1 d\hat{\theta}_2
 \end{aligned}$$

Also, by using the transformation $x = \frac{\hat{\theta}_1}{m_1 \theta}$, $y = \frac{\hat{\theta}_2}{m_2 \theta}$ and evaluating the integrals above, we obtain



$$\begin{aligned}
 R_{\text{SELF}}(\tilde{R}_1(t)) &= \exp(-2p((1-k)\lambda)) \int_{r_1'}^{r_2'} \frac{\exp(-(2pm_1kx + \frac{1}{x}))}{\Gamma(m_1) x^{m_1+1}} dx \\
 &\quad - 2\exp(-p(1+(1-k)\lambda)) \int_{r_1'}^{r_2'} \frac{\exp(-(pm_1kx + \frac{1}{x}))}{\Gamma(m_1) x^{m_1+1}} dx \\
 &\quad + \frac{2(\frac{2pm_2^2}{m_1+m_2})^{\frac{m_2}{2}} k_{m_2} (2\sqrt{\frac{2pm_2^2}{m_1+m_2}})}{\Gamma(m_1) \Gamma(m_2)} \left[\frac{2(\frac{2pm_1^2}{m_1+m_2})^{\frac{m_1}{2}} k_{m_1} (2\sqrt{\frac{2pm_1^2}{m_1+m_2}})}{\Gamma(m_1) \Gamma(m_2)} \right. \\
 &\quad \left. - \int_{r_1'}^{r_2'} \frac{\exp(-(\frac{2pm_1^2}{m_1+m_2}x + \frac{1}{x}))}{x^{m_1+1}} dx \right] + \exp(-2p) \\
 &\quad - \frac{4\exp(-p)(\frac{pm_2^2}{m_1+m_2})^{\frac{m_2}{2}} k_{m_2} (2\sqrt{\frac{pm_2^2}{m_1+m_2}})}{\Gamma(m_1) \Gamma(m_2)} \left[\frac{2(\frac{pm_1^2}{m_1+m_2})^{\frac{m_1}{2}} k_{m_1} (2\sqrt{\frac{pm_1^2}{m_1+m_2}})}{\Gamma(m_1) \Gamma(m_2)} \right. \\
 &\quad \left. - \int_{r_1'}^{r_2'} \frac{\exp(-(\frac{pm_1^2}{m_1+m_2}x + \frac{1}{x}))}{x^{m_1+1}} dx \right] \quad (23)
 \end{aligned}$$

3.3 The Risk of the shrinkage estimator $\tilde{R}_2(t)$:

The risk of estimator $\tilde{R}_2(t)$ under SELF can be obtained as

$$\begin{aligned}
 R_{\text{SELF}}(\tilde{R}_2(t)) &= E(\tilde{R}_2(t) - R(t))^2 \\
 &= \int_{r_1}^{r_2} (k[\bar{F}(t)]^{\hat{\theta}} + (1-k)[\bar{F}(t)]^{\theta_0} - [\bar{F}(t)]^{\theta})^2 f(\hat{\theta}; \theta) d\hat{\theta} \\
 &\quad + \int_0^{\infty} ([\bar{F}_0(t)]^{\hat{\theta}} - [F_0(t)]^{\theta})^2 f(\hat{\theta}; \theta) d\hat{\theta} - \int_{r_1}^{r_2} ([\bar{F}_0(t)]^{\hat{\theta}} - [F_0(t)]^{\theta})^2 f(\hat{\theta}; \theta) d\hat{\theta}
 \end{aligned}$$

Now, by using the transformation $x = \frac{\hat{\theta}_1}{m_1 \theta}$, $y = \frac{\hat{\theta}_2}{m_2 \theta}$ and evaluating the above integrals, we obtain



$$\begin{aligned}
 R_{\text{SELF}}(\tilde{R}_2(t)) = k^2 & \left[\int_{r_1'}^{r_2'} \frac{\exp(-(2pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx - 2\exp(-p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-(pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx \right. \\
 & \left. + \exp(-2p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-\frac{1}{x})}{\Gamma(m_1)x^{m_1+1}} dx \right. \\
 & - 2k(\exp(-p) - \exp(-p\lambda)) \left[\int_{r_1'}^{r_2'} \frac{\exp(-(pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx - \exp(-p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-\frac{1}{x})}{\Gamma(m_1)x^{m_1+1}} dx \right] \\
 & + [(\exp(-p) - \exp(-p\lambda))^2 - 1] \left[I(\frac{1}{r_1'}, m_1) - I(\frac{1}{r_2'}, m_1) \right] \\
 & + \frac{2(\frac{2pm_2^2}{m_1+m_2})^{\frac{m_2}{2}} k_{m_2} (2\sqrt{\frac{2pm_2^2}{m_1+m_2}})}{\Gamma(m_1)\Gamma(m_2)} \left[2(\frac{2pm_1^2}{m_1+m_2})^{\frac{m_1}{2}} k_{m_1} (2\sqrt{\frac{2pm_1^2}{m_1+m_2}}) \right. \\
 & \left. - \int_{r_1'}^{r_2'} \frac{\exp(-(\frac{2pm_1^2}{m_1+m_2}x + \frac{1}{x}))}{x^{m_1+1}} dx \right] + \exp(-2p) \\
 & - \frac{4\exp(-p)(\frac{pm_2^2}{m_1+m_2})^{\frac{m_2}{2}} k_{m_2} (2\sqrt{\frac{pm_2^2}{m_1+m_2}})}{\Gamma(m_1)\Gamma(m_2)} \left[2(\frac{pm_1^2}{m_1+m_2})^{\frac{m_1}{2}} k_{m_1} (2\sqrt{\frac{pm_1^2}{m_1+m_2}}) \right. \\
 & \left. - \int_{r_1'}^{r_2'} \frac{\exp(-(\frac{pm_1^2}{m_1+m_2}x + \frac{1}{x}))}{x^{m_1+1}} dx \right] \quad (24)
 \end{aligned}$$

We find the shrinkage factor k by minimize (16) with respect to k as

$$\begin{aligned}
 k^* = & \frac{\left[\int_{r_1'}^{r_2'} \frac{\exp(-(2pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx - 2\exp(-p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-(pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx \right. \\
 & \left. + \exp(-2p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-\frac{1}{x})}{\Gamma(m_1)x^{m_1+1}} dx \right]}{(\exp(-p) - \exp(-p\lambda)) \left[\int_{r_1'}^{r_2'} \frac{\exp(-(pm_1x + \frac{1}{x}))}{\Gamma(m_1)x^{m_1+1}} dx - \exp(-p\lambda) \int_{r_1'}^{r_2'} \frac{\exp(-\frac{1}{x})}{\Gamma(m_1)x^{m_1+1}} dx \right]} \quad (25)
 \end{aligned}$$

Theoretically, we could not show that k^* lies between 0 and 1. Therefore, we restrict the value of ' k ' as

$$k = \begin{cases} 0 & k^* < 0 \\ k^* & 0 \leq k^* \leq 1 \\ 1 & k^* > 1 \end{cases} \quad (26)$$



4. Relative Risk:

To study the properties of estimators $\tilde{R}_1(t)$ and $\tilde{R}_2(t)$ under SELF and GELF we compare the relative risks of the estimators given above. The relative risk of $\tilde{R}_1(t)$ with respect to $\hat{R}(t)$ under GELF is

$$RR_{GELF}(\tilde{R}_1(t)) = \frac{R_{GELF}(\hat{R}_p(t))}{R_{GELF}(\tilde{R}_1(t))} \quad (27)$$

Also, the relative risk of $\tilde{R}_1(t)$ with respect to $\hat{R}(t)$ under SELF is

$$RR_{SELF}(\tilde{R}_1(t)) = \frac{R_{SELF}(\hat{R}_p(t))}{R_{SELF}(\tilde{R}_1(t))} \quad (28)$$

Finally, the relative risk of $\tilde{R}_2(t)$ with respect to $\hat{R}(t)$ under SELF is

$$RR_{SELF}(\tilde{R}_2(t)) = \frac{R_{SELF}(\hat{R}_p(t))}{R_{SELF}(\tilde{R}_2(t))} \quad (29)$$

We observe that the equations $RR_{GELF}(\tilde{R}_1(t))$, $RR_{SELF}(\tilde{R}_1(t))$ and $RR_{SELF}(\tilde{R}_2(t))$ depend on m_1 , m_2 , k , q , p , α and λ . To demonstrate the performance of the proposed estimators under GELF and SELF, we have considered few values of the constants as.

$m_1 = 6, 9, 12$, $m_2 = 3, 9, 12$, $k = 0.1, 0.2$, $q = 1, 2, 3$, $p = 0.5, 1.0, 1.5$, $\alpha = 0.01, 0.05$, $\lambda = 0.25(0.25)1.75$

The Tables 1 to 3 give the values of the relative risk for the above given values of constants. Based on these tables we have the following conclusions.

5. Conclusion:

- The relative risk of the both proposed estimators under SELF and GELF are high in around $\lambda=1$. i.e. if true value of θ is close to θ_0 . Further, the range of values of λ for relative risk larger than one become narrower as m_2 and p are increased.
- Compared with the results in Shanubhogue and Jiheel (2013) we see the relative risk of the proposed estimators under GELF and SELF are better.
- The relative risk of the estimator $\tilde{R}_1(t)$ under SELF is higher than the relative risk of the estimator $\tilde{R}_1(t)$ under GELF.
- The relative risk of the estimator $\tilde{R}_2(t)$ under SELF is higher than the relative risk of the estimator $\tilde{R}_1(t)$ under SELF.
- The relative risk of the estimator $\tilde{R}_1(t)$ under GELF is decreasing function with p and q for all λ except $\lambda=1$, also decreasing with m_2 but we can't make any conclusion for m_1 .
- The relative risk of the estimator $\tilde{R}_1(t)$ under SELF is decreasing function of m_1 , m_2 and p for all λ while the relative risk of the estimator $\tilde{R}_2(t)$ under SELF is decreasing function of m_1 and m_2 . Further, it is decreasing with p for all λ except $\lambda=1$.
- The relative risk of the estimator $\tilde{R}_1(t)$ under SELF and GELF and the relative risk of the estimator $\tilde{R}_2(t)$ under SELF are decreasing functions of α .
- The relative risk of the estimator $\tilde{R}_1(t)$ under SELF and GELF are decreasing functions of k i.e if we strongly believe in the guess value θ_0 .

Thus, in general, we observe that the double stage shrinkage estimators of the reliability function proposed by us perform better than the classical estimator and single stage shrinkage estimator both under SELF and GELF.



References:

- [1] Adke, S.R., Waalker, V.B and Schuuvmann, F.J. (1987). A Two stage shrinkage testimator for the mean of an exponential distribution. *Cornm. Statist. Theor. Meth.*, A16 (6):1821-1834.
- [2] Al- Bayyati, H.A. and Arnold, J.C. (1972). On double stages estimation in simple linear regression using prior knowledge. *Tehnometrics*, 14(2): 405-.414.
- [3] Al-Hemyari ,Z. A. and Jehel ,A. K. (2011). Pooling shrinkage estimator of reliability for exponential failure model using the sampling plan (n, C, T). *International Journal of Reliability and Applications* 12(1): 61-77.
- [4] Al-Hemyari,Z.A. (2009). Reliability function estimator with exponential failure model for engineering data. *Proceeding of the 2009 Intentional Conference of Computational Statistics and Data Engineering*, London, UK.
- [5] Arnold and Al- Bayyati, H. A. (1970). On double stage estimation of the mean using prior knowledge. *Biometrics*, 26: 787-800.
- [6] Asgharzadeh, A. and Valiollahi, R. (2009). Inference for the proportional hazards family under progressive type-II censoring. *JIRSS* (2009) 8 (1-2): 127-148.
- [7] Asgharzadeh, A. and Valiollahi, R. (2010). Point Prediction for the Proportional Hazards Family under Progressive Type-II Censoring. *JIRSS* (2010) 9 (2): 127-148.
- [8] Balakrishnan, N. (2007) .Progressive censoring methodology: an appraisal. *Test* 16: 211–259.
- [9] Balakrishnan,N and Aggarwala ,R. (2000) .Progressive censoring :Theory and applications . Boston: Birkhauser and publisher.
- [10] Calabria. R. and Pulcini. G. (1996). Point estimation under asymmetric loss functions for left-truncated exponential samples, *Communication in Statistics - Theory and Methods* 25 (3):585–600.
- [11] Chiou, P. (1992).Shrinkage estimation of reliability in the exponential distribution. *Communications in Statistics - Theory and Methods* .21(6):1745-1758.
- [12] Chiou, P. (1993).Empirical Bayes shrinkage estimation of reliability in the exponential distribution. *Communications in Statistics - Theory and Methods* .22(5):1483-1494.
- [13] Cox, D. R.(1972) .Regression models and life tables (with discussion). *Journal of the Royal Statistical Society* 34(b): 187-220.
- [14] Fergusson,D. M. , Horwood, L. J and Shannon ,F. T. (1984). A proportional hazards model of family breakdown. *Journal of Marriage and Family*.46 (3): 539-549.
- [15] Handa, B. R., Kambo, N. S. and Al- Hemyari, Z. A. (1988). On double stage shrunken estimator for the mean of exponential distribution. *IAPQR.Transactions*13: 19-33.
- [16] Kambo, N. S., Handa, B. R. and Al- Hemyari, Z. A. (1991) . Double stage shrunken estimator for the exponential mean life in censored sample. *Intentional Journal of Management and System* 7: 283-301.
- [17] Katti, S. K. (1962). Use of some a prior knowledge in the estimation of mean from double samples. *Biomretrics*, 18, :139- 147.
- [18] Pandey, M. and Upadhyay, S.K. (1985). Bayesian shrinkage estimation of reliability from censored sample with exponential failure model. *South African Statist. J.* (19): 21-33.
- [19] Praksh,G and Singh,D.C.(2009). Double stage shrinkage testimation in exponential type II censored data. *Statistics in Transition*, 10(2):235-250.
- [20] Shanubhogue, A. and Jiheel , A.K. (2013). Shrinkage estimation of the reliability function of the proportional hazard family of distribution function under different loss functions using progressive type II censored sample .*Far East Journal for Theoretic statistics* , 45(2):91-110.
- [21] Srivastava, R and Tanna, V (2007).Double stage shrinkage testimator of the scale parameter of an exponential life model under general entropy loss function. *Commun. Statist. Theor., Meth.*, 36 :283-295.
- [22] Thompson, J. R. (1968). Some shrinkage techniques for estimating the mean. *JASA*, 63: 113-122.
- [23] Tibshirani ,R.J . and Ciampi, A(1983) . A Family of proportional-and additive-hazards models for survival data. *Biometrics* 39:141-147.
- [24] Varian, H.R. (1975). A Bayesian approach to real estate assessment studies in Bayesian econometrics and statistics in honor of L.J. savage Eds. S.E. Fienberg and A.Zeliner. Amsterdam, North Holland: 195-208.
- [25] Waiker, V. B., Schuurmman, F. J. and Raghunathan, T. E. (1984). On a two stage shrinkage testimator of the mean of a normal distribution. *Commun. Statist. Theor., Meth.*, A 13 (15):1901-1913.



- [26] Wang,L . and Shi,Y. (2012). Reliability analysis based on progressively first-failure censored samples for the proportional hazard rate model. Mathematics and Computers in Simulation 82:1383–1395.
- [27] Watson, G. N.(1952). A Treatise on the Theory of Bessel Functions, reprinted 2nd edn, Cambridge University Press.

Appendix

Table (1) show the relative risk of the estimator $\tilde{R}_1(t)$ under GELF when $\alpha=0.01$

| k=0.1 | | λ | | | | | | | | |
|-------|----|-----------|-----|--------|--------|--------|---------|--------|--------|--------|
| m1 | m2 | q | p | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 |
| 6 | 3 | 1 | 0.5 | 0.6834 | 1.0663 | 3.3386 | 11.4468 | 4.4196 | 1.5989 | 0.8611 |
| | | | 1 | 0.5805 | 0.8983 | 3.0829 | 12.4848 | 3.9519 | 1.4184 | 0.7835 |
| | | | 1.5 | 0.4926 | 0.7674 | 2.8457 | 13.2255 | 3.6121 | 1.3066 | 0.7403 |
| | | 2 | 0.5 | 0.5805 | 0.8983 | 3.0829 | 12.4848 | 3.9519 | 1.4184 | 0.7835 |
| | | | 1 | 0.4158 | 0.66 | 2.6239 | 13.7203 | 3.3551 | 1.2314 | 0.7145 |
| | | | 1.5 | 0.2903 | 0.4944 | 2.2367 | 14.2128 | 3.0007 | 1.1422 | 0.691 |
| | | 3 | 0.5 | 0.4926 | 0.7674 | 2.8457 | 13.2255 | 3.6121 | 1.3066 | 0.7403 |
| | | | 1 | 0.2903 | 0.4944 | 2.2367 | 14.2128 | 3.0007 | 1.1422 | 0.691 |
| | | | 1.5 | 0.1615 | 0.328 | 1.7992 | 14.2576 | 2.6988 | 1.088 | 0.6913 |
| | 6 | 1 | 0.5 | 0.4858 | 0.6878 | 2.2896 | 9.4206 | 2.6217 | 0.8979 | 0.4799 |
| | | | 1 | 0.4132 | 0.5934 | 2.1379 | 10.3397 | 2.4563 | 0.8486 | 0.4664 |
| | | | 1.5 | 0.3495 | 0.5139 | 1.9848 | 11.0127 | 2.3239 | 0.8157 | 0.4603 |
| | | 2 | 0.5 | 0.4132 | 0.5934 | 2.1379 | 10.3397 | 2.4563 | 0.8486 | 0.4664 |
| | | | 1 | 0.294 | 0.4464 | 1.8391 | 11.5038 | 2.2196 | 0.7941 | 0.459 |
| | | | 1.5 | 0.2044 | 0.3397 | 1.583 | 12.1259 | 2.0762 | 0.7733 | 0.466 |
| | | 3 | 0.5 | 0.3495 | 0.5139 | 1.9848 | 11.0127 | 2.3239 | 0.8157 | 0.4603 |
| | | | 1 | 0.2044 | 0.3397 | 1.583 | 12.1259 | 2.0762 | 0.7733 | 0.466 |
| | | | 1.5 | 0.1138 | 0.2296 | 1.2905 | 12.5829 | 1.9728 | 0.7783 | 0.4917 |
| | 9 | 1 | 0.5 | 0.3855 | 0.5269 | 1.843 | 8.9345 | 1.9165 | 0.6359 | 0.3381 |
| | | | 1 | 0.3272 | 0.457 | 1.7111 | 9.6424 | 1.8273 | 0.6169 | 0.3378 |
| | | | 1.5 | 0.2764 | 0.3976 | 1.5848 | 10.1754 | 1.7565 | 0.6054 | 0.3406 |
| | | 2 | 0.5 | 0.3272 | 0.457 | 1.7111 | 9.6424 | 1.8273 | 0.6169 | 0.3378 |
| | | | 1 | 0.2323 | 0.3469 | 1.4678 | 10.5804 | 1.7016 | 0.5994 | 0.3456 |
| | | | 1.5 | 0.1614 | 0.266 | 1.2658 | 11.14 | 1.6299 | 0.5994 | 0.3603 |
| | | 3 | 0.5 | 0.2764 | 0.3976 | 1.5848 | 10.1754 | 1.7565 | 0.6054 | 0.3406 |
| | | | 1 | 0.1614 | 0.266 | 1.2658 | 11.14 | 1.6299 | 0.5994 | 0.3603 |
| | | | 1.5 | 0.0901 | 0.1814 | 1.036 | 11.6642 | 1.5937 | 0.6213 | 0.3915 |
| 9 | 3 | 1 | 0.5 | 0.8008 | 0.7464 | 2.4354 | 13.0718 | 3.3252 | 1.105 | 0.6156 |
| | | | 1 | 0.7393 | 0.6375 | 2.2106 | 13.817 | 2.9814 | 1.0087 | 0.5798 |
| | | | 1.5 | 0.6773 | 0.5517 | 2.0264 | 14.4245 | 2.7424 | 0.9487 | 0.5612 |
| | | 2 | 0.5 | 0.7393 | 0.6375 | 2.2106 | 13.817 | 2.9814 | 1.0087 | 0.5798 |
| | | | 1 | 0.6141 | 0.4804 | 1.8659 | 14.8637 | 2.5642 | 0.9086 | 0.5516 |
| | | | 1.5 | 0.4872 | 0.3677 | 1.598 | 15.307 | 2.3184 | 0.8621 | 0.5474 |
| | | 3 | 0.5 | 0.6773 | 0.5517 | 2.0264 | 14.4245 | 2.7424 | 0.9487 | 0.5612 |



| | | | | | | | | | | |
|--|----|---|-----|--------|--------|--------|---------|---------|--------|--------|
| | | | 1 | 0.4872 | 0.3677 | 1.598 | 15.307 | 2.3184 | 0.8621 | 0.5474 |
| | | | 1.5 | 0.3135 | 0.2499 | 1.2993 | 15.1891 | 2.106 | 0.8387 | 0.5613 |
| | | 6 | 1 | 0.5 | 0.6791 | 0.5142 | 1.714 | 11.1041 | 2.0915 | 0.6774 |
| | | | | 1 | 0.6213 | 0.4506 | 1.591 | 11.9029 | 1.9706 | 0.6536 |
| | | | | 1.5 | 0.5626 | 0.3957 | 1.4767 | 12.5322 | 1.8764 | 0.6383 |
| | | | 2 | 0.5 | 0.6213 | 0.4506 | 1.591 | 11.9029 | 1.9706 | 0.6536 |
| | | | | 1 | 0.5039 | 0.3482 | 1.3721 | 13.0167 | 1.8028 | 0.6289 |
| | | | | 1.5 | 0.3906 | 0.2705 | 1.1914 | 13.6469 | 1.7008 | 0.6231 |
| | | | 3 | 0.5 | 0.5626 | 0.3957 | 1.4767 | 12.5322 | 1.8764 | 0.6383 |
| | | | | 1 | 0.3906 | 0.2705 | 1.1914 | 13.6469 | 1.7008 | 0.6231 |
| | | | | 1.5 | 0.2448 | 0.1869 | 0.9842 | 14.0131 | 1.625 | 0.6359 |
| | | 9 | 1 | 0.5 | 0.6033 | 0.4148 | 1.4171 | 10.8292 | 1.6029 | 0.5106 |
| | | | | 1 | 0.5475 | 0.3651 | 1.3151 | 11.4895 | 1.5367 | 0.503 |
| | | | | 1.5 | 0.4918 | 0.3218 | 1.2213 | 12.0213 | 1.485 | 0.4993 |
| | | | 2 | 0.5 | 0.5475 | 0.3651 | 1.3151 | 11.4895 | 1.5367 | 0.503 |
| | | | | 1 | 0.437 | 0.2841 | 1.1359 | 12.446 | 1.4451 | 0.4989 |
| | | | | 1.5 | 0.3341 | 0.2219 | 0.9891 | 13.0482 | 1.3929 | 0.5053 |
| | | | 3 | 0.5 | 0.4918 | 0.3218 | 1.2213 | 12.0213 | 1.485 | 0.4993 |
| | | | | 1 | 0.3341 | 0.2219 | 0.9891 | 13.0482 | 1.3929 | 0.5053 |
| | | | | 1.5 | 0.2062 | 0.1542 | 0.8201 | 13.5413 | 1.3662 | 0.5289 |
| | 12 | 3 | 1 | 0.5 | 0.9362 | 0.6029 | 1.8597 | 13.6712 | 2.5554 | 0.8382 |
| | | | | 1 | 0.915 | 0.5229 | 1.6881 | 14.2266 | 2.3207 | 0.7825 |
| | | | | 1.5 | 0.8908 | 0.4582 | 1.5502 | 14.7132 | 2.1573 | 0.7482 |
| | | | 2 | 0.5 | 0.915 | 0.5229 | 1.6881 | 14.2266 | 2.3207 | 0.7825 |
| | | | | 1 | 0.8627 | 0.4032 | 1.4318 | 15.0784 | 2.0349 | 0.7257 |
| | | | | 1.5 | 0.7922 | 0.314 | 1.2356 | 15.4437 | 1.8649 | 0.7018 |
| | | | 3 | 0.5 | 0.8908 | 0.4582 | 1.5502 | 14.7132 | 2.1573 | 0.7482 |
| | | | | 1 | 0.7922 | 0.314 | 1.2356 | 15.4437 | 1.8649 | 0.7018 |
| | | | | 1.5 | 0.6482 | 0.2173 | 1.0155 | 15.2416 | 1.7175 | 0.6955 |
| | | 6 | 1 | 0.5 | 0.8935 | 0.4375 | 1.3488 | 11.8047 | 1.692 | 0.5474 |
| | | | | 1 | 0.8688 | 0.3882 | 1.2553 | 12.4967 | 1.6093 | 0.5362 |
| | | | | 1.5 | 0.8402 | 0.3447 | 1.1697 | 13.0579 | 1.5446 | 0.5298 |
| | | | 2 | 0.5 | 0.8688 | 0.3882 | 1.2553 | 12.4967 | 1.6093 | 0.5362 |
| | | | | 1 | 0.8073 | 0.3062 | 1.0916 | 13.4991 | 1.4938 | 0.527 |
| | | | | 1.5 | 0.7275 | 0.2418 | 0.9564 | 14.0738 | 1.4232 | 0.5293 |
| | | | 3 | 0.5 | 0.8402 | 0.3447 | 1.1697 | 13.0579 | 1.5446 | 0.5298 |
| | | | | 1 | 0.7275 | 0.2418 | 0.9564 | 14.0738 | 1.4232 | 0.5293 |
| | | | | 1.5 | 0.5751 | 0.1697 | 0.7989 | 14.3412 | 1.3712 | 0.547 |
| | | 9 | 1 | 0.5 | 0.8627 | 0.3661 | 1.1437 | 11.6624 | 1.3478 | 0.4314 |
| | | | | 1 | 0.8349 | 0.326 | 1.0658 | 12.2634 | 1.3013 | 0.4295 |
| | | | | 1.5 | 0.8031 | 0.2902 | 0.9943 | 12.7603 | 1.265 | 0.4301 |



| | | | | | | | | | | | | |
|-----|--------|-------|--------|--------|--------|---------|---------|---------|--------|--------|--------|--------|
| | | 2 | 0.5 | 0.8349 | 0.326 | 1.0658 | 12.2634 | 1.3013 | 0.4295 | 0.2622 | | |
| | | | 1 | 0.7671 | 0.2584 | 0.9291 | 13.1643 | 1.237 | 0.4327 | 0.279 | | |
| | | | 1.5 | 0.6818 | 0.2047 | 0.8162 | 13.7375 | 1.2009 | 0.4427 | 0.2983 | | |
| | | 3 | 0.5 | 0.8031 | 0.2902 | 0.9943 | 12.7603 | 1.265 | 0.4301 | 0.2702 | | |
| | | | 1 | 0.6818 | 0.2047 | 0.8162 | 13.7375 | 1.2009 | 0.4427 | 0.2983 | | |
| | | | 1.5 | 0.5261 | 0.1442 | 0.6839 | 14.151 | 1.184 | 0.4674 | 0.331 | | |
| | | k=0.2 | | | | | | | | | | |
| | | 6 | 3 | 1 | 0.5 | 0.7322 | 1.2284 | 3.6411 | 8.8232 | 4.1012 | 1.6862 | 0.9417 |
| | | | | | 1 | 0.6334 | 1.0589 | 3.4189 | 9.0351 | 3.6892 | 1.501 | 0.8559 |
| 1.5 | 0.5476 | | | | 0.9232 | 3.1994 | 9.0972 | 3.3964 | 1.3856 | 0.807 | | |
| 2 | 0.5 | | | 0.6334 | 1.0589 | 3.4189 | 9.0351 | 3.6892 | 1.501 | 0.8559 | | |
| | 1 | | | 0.4711 | 0.8087 | 2.9834 | 9.0666 | 3.1778 | 1.3075 | 0.777 | | |
| | 1.5 | | | 0.3424 | 0.626 | 2.5864 | 8.893 | 2.8801 | 1.2135 | 0.7475 | | |
| 3 | 0.5 | | | 0.5476 | 0.9232 | 3.1994 | 9.0972 | 3.3964 | 1.3856 | 0.807 | | |
| | 1 | | | 0.3424 | 0.626 | 2.5864 | 8.893 | 2.8801 | 1.2135 | 0.7475 | | |
| | 1.5 | | | 0.2031 | 0.4339 | 2.1132 | 8.6138 | 2.6317 | 1.1533 | 0.742 | | |
| 6 | 1 | | | 0.5 | 0.5331 | 0.8183 | 2.5632 | 6.4587 | 2.4134 | 0.9497 | 0.527 | |
| | | | | 1 | 0.4609 | 0.719 | 2.426 | 6.6661 | 2.2804 | 0.9002 | 0.5112 | |
| | | | | 1.5 | 0.3966 | 0.6329 | 2.277 | 6.7607 | 2.1759 | 0.8671 | 0.5034 | |
| | 2 | | | 0.5 | 0.4609 | 0.719 | 2.426 | 6.6661 | 2.2804 | 0.9002 | 0.5112 | |
| | | | | 1 | 0.3394 | 0.5582 | 2.1286 | 6.7951 | 2.0951 | 0.8451 | 0.5007 | |
| | | | | 1.5 | 0.2447 | 0.4367 | 1.8562 | 6.7937 | 1.9877 | 0.8237 | 0.5057 | |
| | 3 | | | 0.5 | 0.3966 | 0.6329 | 2.277 | 6.7607 | 2.1759 | 0.8671 | 0.5034 | |
| | | | | 1 | 0.2447 | 0.4367 | 1.8562 | 6.7937 | 1.9877 | 0.8237 | 0.5057 | |
| | | | | 1.5 | 0.1445 | 0.3067 | 1.5309 | 6.7957 | 1.9201 | 0.8276 | 0.5296 | |
| | 9 | | 1 | 0.5 | 0.429 | 0.6392 | 2.1029 | 5.4957 | 1.7571 | 0.6732 | 0.3718 | |
| | | | | 1 | 0.3697 | 0.5629 | 1.9734 | 5.6098 | 1.6916 | 0.6552 | 0.3708 | |
| | | | | 1.5 | 0.3172 | 0.4966 | 1.8435 | 5.6656 | 1.641 | 0.6442 | 0.3729 | |
| | | | 2 | 0.5 | 0.3697 | 0.5629 | 1.9734 | 5.6098 | 1.6916 | 0.6552 | 0.3708 | |
| | | | | 1 | 0.2708 | 0.439 | 1.7193 | 5.6919 | 1.6031 | 0.6386 | 0.3774 | |
| | | | | 1.5 | 0.1947 | 0.3451 | 1.4977 | 5.7165 | 1.5582 | 0.6392 | 0.3915 | |
| | | | 3 | 0.5 | 0.3172 | 0.4966 | 1.8435 | 5.6656 | 1.641 | 0.6442 | 0.3729 | |
| | | | | 1 | 0.1947 | 0.3451 | 1.4977 | 5.7165 | 1.5582 | 0.6392 | 0.3915 | |
| | | | | 1.5 | 0.1149 | 0.2437 | 1.2365 | 5.7863 | 1.5495 | 0.6619 | 0.4224 | |
| 3 | | | 1 | 0.5 | 0.824 | 0.849 | 2.7392 | 10.1524 | 3.3433 | 1.2161 | 0.6885 | |
| | | | | 1 | 0.7678 | 0.738 | 2.5239 | 10.2375 | 3.0115 | 1.1092 | 0.6457 | |
| | | | | 1.5 | 0.7109 | 0.6493 | 2.3432 | 10.2686 | 2.7818 | 1.0417 | 0.6223 | |
| | | | 2 | 0.5 | 0.7678 | 0.738 | 2.5239 | 10.2375 | 3.0115 | 1.1092 | 0.6457 | |
| | | | | 1 | 0.6523 | 0.5743 | 2.1811 | 10.2366 | 2.6106 | 0.9958 | 0.6091 | |
| | | | | 1.5 | 0.5326 | 0.4531 | 1.9004 | 10.0543 | 2.3743 | 0.9408 | 0.5997 | |
| 3 | 0.5 | | 0.7109 | 0.6493 | 2.3432 | 10.2686 | 2.7818 | 1.0417 | 0.6223 | | | |



| | | | | | | | | | | |
|----|----|---|-----|--------|--------|--------|---------|--------|--------|--------|
| 12 | 6 | 1 | 1 | 0.5326 | 0.4531 | 1.9004 | 10.0543 | 2.3743 | 0.9408 | 0.5997 |
| | | | 1.5 | 0.3613 | 0.3216 | 1.5735 | 9.6727 | 2.169 | 0.9085 | 0.6085 |
| | | | 0.5 | 0.7078 | 0.5987 | 1.9755 | 7.8517 | 2.1036 | 0.7485 | 0.4236 |
| | | 2 | 1 | 0.6538 | 0.5324 | 1.8556 | 8.0382 | 1.9917 | 0.7212 | 0.4196 |
| | | | 1.5 | 0.5986 | 0.4742 | 1.7398 | 8.1394 | 1.9047 | 0.7031 | 0.4196 |
| | | | 0.5 | 0.6538 | 0.5324 | 1.8556 | 8.0382 | 1.9917 | 0.7212 | 0.4196 |
| | | 3 | 1 | 0.5428 | 0.4229 | 1.6305 | 8.1846 | 1.837 | 0.6915 | 0.4223 |
| | | | 1.5 | 0.4329 | 0.3375 | 1.4353 | 8.1858 | 1.744 | 0.6821 | 0.4336 |
| | | | 0.5 | 0.5986 | 0.4742 | 1.7398 | 8.1394 | 1.9047 | 0.7031 | 0.4196 |
| | 9 | 1 | 1 | 0.4329 | 0.3375 | 1.4353 | 8.1858 | 1.744 | 0.6821 | 0.4336 |
| | | | 1.5 | 0.2855 | 0.2426 | 1.203 | 8.1238 | 1.6768 | 0.6914 | 0.4605 |
| | | | 0.5 | 0.6341 | 0.4897 | 1.6617 | 7.0169 | 1.6124 | 0.565 | 0.319 |
| | | 2 | 1 | 0.5811 | 0.4367 | 1.5569 | 7.1302 | 1.5536 | 0.5557 | 0.3226 |
| | | | 1.5 | 0.5278 | 0.3899 | 1.4577 | 7.1932 | 1.508 | 0.5508 | 0.328 |
| | | | 0.5 | 0.5811 | 0.4367 | 1.5569 | 7.1302 | 1.5536 | 0.5557 | 0.3226 |
| | | 3 | 1 | 0.4748 | 0.3484 | 1.3652 | 7.2251 | 1.4732 | 0.5493 | 0.3347 |
| | | | 1.5 | 0.3733 | 0.2789 | 1.2021 | 7.2447 | 1.4293 | 0.5541 | 0.3513 |
| | | | 0.5 | 0.5278 | 0.3899 | 1.4577 | 7.1932 | 1.508 | 0.5508 | 0.328 |
| | 12 | 1 | 1 | 0.3733 | 0.2789 | 1.2021 | 7.2447 | 1.4293 | 0.5541 | 0.3513 |
| | | | 1.5 | 0.242 | 0.2012 | 1.0086 | 7.2654 | 1.4114 | 0.5764 | 0.3824 |
| | | | 0.5 | 0.9432 | 0.6773 | 2.1154 | 10.651 | 2.683 | 0.9387 | 0.5576 |
| | | 2 | 1 | 0.9244 | 0.5961 | 1.9453 | 10.6713 | 2.4428 | 0.874 | 0.5352 |
| | | | 1.5 | 0.903 | 0.5298 | 1.8068 | 10.68 | 2.2752 | 0.8332 | 0.5244 |
| | | | 0.5 | 0.9244 | 0.5961 | 1.9453 | 10.6713 | 2.4428 | 0.874 | 0.5352 |
| | | 3 | 1 | 0.8783 | 0.4727 | 1.6856 | 10.6463 | 2.1494 | 0.8057 | 0.52 |
| | | | 1.5 | 0.8163 | 0.3785 | 1.4795 | 10.4726 | 1.9735 | 0.7742 | 0.5218 |
| | | | 0.5 | 0.903 | 0.5298 | 1.8068 | 10.68 | 2.2752 | 0.8332 | 0.5244 |
| | 6 | 1 | 1 | 0.8163 | 0.3785 | 1.4795 | 10.4726 | 1.9735 | 0.7742 | 0.5218 |
| | | | 1.5 | 0.6881 | 0.2729 | 1.2398 | 10.0654 | 1.8182 | 0.7601 | 0.5395 |
| | | | 0.5 | 0.9037 | 0.5006 | 1.5662 | 8.5075 | 1.7808 | 0.6155 | 0.3665 |
| | | 2 | 1 | 0.8816 | 0.4498 | 1.4729 | 8.6793 | 1.6977 | 0.601 | 0.3686 |
| | | | 1.5 | 0.8561 | 0.4045 | 1.3853 | 8.7825 | 1.6326 | 0.5919 | 0.3729 |
| | | | 0.5 | 0.8816 | 0.4498 | 1.4729 | 8.6793 | 1.6977 | 0.601 | 0.3686 |
| | | 3 | 1 | 0.8268 | 0.3638 | 1.3035 | 8.8354 | 1.5813 | 0.5869 | 0.3788 |
| | | | 1.5 | 0.7554 | 0.2945 | 1.1582 | 8.8463 | 1.5098 | 0.5858 | 0.3942 |
| | | | 0.5 | 0.8561 | 0.4045 | 1.3853 | 8.7825 | 1.6326 | 0.5919 | 0.3729 |
| | 9 | 1 | 1 | 0.7554 | 0.2945 | 1.1582 | 8.8463 | 1.5098 | 0.5858 | 0.3942 |
| | | | 1.5 | 0.617 | 0.2148 | 0.9835 | 8.7545 | 1.4561 | 0.5998 | 0.424 |
| | | | 0.5 | 0.8749 | 0.4235 | 1.3473 | 7.8193 | 1.4201 | 0.4857 | 0.2887 |
| | | 2 | 1 | 0.8499 | 0.3814 | 1.2665 | 7.936 | 1.3744 | 0.4821 | 0.2951 |
| | | | 1.5 | 0.8213 | 0.3435 | 1.1908 | 8.0081 | 1.3387 | 0.4813 | 0.3025 |
| | | | 0.5 | 0.8749 | 0.4235 | 1.3473 | 7.8193 | 1.4201 | 0.4857 | 0.2887 |
| | | 3 | 1 | 0.8499 | 0.3814 | 1.2665 | 7.936 | 1.3744 | 0.4821 | 0.2951 |
| | | | 1.5 | 0.8213 | 0.3435 | 1.1908 | 8.0081 | 1.3387 | 0.4813 | 0.3025 |
| | | | 0.5 | 0.8749 | 0.4235 | 1.3473 | 7.8193 | 1.4201 | 0.4857 | 0.2887 |



| | | | | | | | | | |
|--|---|-----|--------|--------|--------|--------|--------|--------|--------|
| | 2 | 0.5 | 0.8499 | 0.3814 | 1.2665 | 7.936 | 1.3744 | 0.4821 | 0.2951 |
| | | 1 | 0.7888 | 0.3094 | 1.1206 | 8.0489 | 1.3113 | 0.4826 | 0.3108 |
| | | 1.5 | 0.7118 | 0.251 | 0.9963 | 8.076 | 1.276 | 0.4908 | 0.3293 |
| | 3 | 0.5 | 0.8213 | 0.3435 | 1.1908 | 8.0081 | 1.3387 | 0.4813 | 0.3025 |
| | | 1 | 0.7118 | 0.251 | 0.9963 | 8.076 | 1.276 | 0.4908 | 0.3293 |
| | | 1.5 | 0.5683 | 0.1834 | 0.8469 | 8.0695 | 1.26 | 0.5137 | 0.3615 |

Table (2) show the relative risk of the estimator $\tilde{R}_1(t)$ under SELF

| k=0.1, α=0.01 | | λ | | | | | | | |
|---------------|----|-----|--------|--------|--------|---------|--------|--------|--------|
| m1 | m2 | p | 0.25 | 0.50 | 0.75 | 1 | 1.25 | 1.5 | 1.75 |
| 6 | 3 | 0.5 | 0.4676 | 0.7173 | 2.7461 | 14.6062 | 3.3793 | 1.2013 | 0.6848 |
| | | 1 | 0.2661 | 0.4325 | 2.0258 | 17.0697 | 2.582 | 0.9762 | 0.6082 |
| | | 1.5 | 0.1521 | 0.2765 | 1.5176 | 17.0271 | 2.1826 | 0.8934 | 0.6021 |
| | 6 | 0.5 | 0.3442 | 0.5013 | 1.9637 | 11.8939 | 2.2649 | 0.7904 | 0.4495 |
| | | 1 | 0.2015 | 0.3201 | 1.5044 | 14.0157 | 1.9245 | 0.7204 | 0.4478 |
| | | 1.5 | 0.1183 | 0.2131 | 1.1688 | 14.7336 | 1.7497 | 0.7088 | 0.4763 |
| | 9 | 0.5 | 0.2751 | 0.3917 | 1.57 | 10.7075 | 1.7264 | 0.5947 | 0.3375 |
| | | 1 | 0.1635 | 0.2572 | 1.2171 | 12.3168 | 1.5472 | 0.5756 | 0.3575 |
| | | 1.5 | 0.0975 | 0.1749 | 0.9614 | 13.0929 | 1.4639 | 0.5901 | 0.3963 |
| 9 | 3 | 0.5 | 0.6654 | 0.5264 | 1.95 | 15.0592 | 2.5933 | 0.8957 | 0.5347 |
| | | 1 | 0.4752 | 0.337 | 1.4702 | 17.1008 | 2.0653 | 0.7756 | 0.5089 |
| | | 1.5 | 0.3178 | 0.2251 | 1.14 | 17.3204 | 1.7919 | 0.7347 | 0.523 |
| | 6 | 0.5 | 0.5612 | 0.39 | 1.4594 | 13.0846 | 1.8373 | 0.626 | 0.3733 |
| | | 1 | 0.3956 | 0.2619 | 1.144 | 15.059 | 1.6047 | 0.5963 | 0.3902 |
| | | 1.5 | 0.2637 | 0.1806 | 0.9136 | 15.8678 | 1.4825 | 0.6005 | 0.4256 |
| | 9 | 0.5 | 0.4928 | 0.3193 | 1.2107 | 12.3958 | 1.4642 | 0.4941 | 0.2941 |
| | | 1 | 0.3434 | 0.2185 | 0.9592 | 14.0253 | 1.3372 | 0.4935 | 0.3222 |
| | | 1.5 | 0.2279 | 0.1529 | 0.775 | 14.896 | 1.2779 | 0.5141 | 0.3636 |
| 12 | 3 | 0.5 | 0.8878 | 0.4431 | 1.5001 | 15.0577 | 2.0633 | 0.7177 | 0.456 |
| | | 1 | 0.7911 | 0.296 | 1.1547 | 16.6547 | 1.7032 | 0.6511 | 0.4556 |
| | | 1.5 | 0.6655 | 0.2038 | 0.9159 | 16.886 | 1.5124 | 0.6341 | 0.4819 |
| | 6 | 0.5 | 0.8408 | 0.3417 | 1.1583 | 13.4485 | 1.5195 | 0.5233 | 0.3325 |
| | | 1 | 0.7362 | 0.2377 | 0.9266 | 15.1591 | 1.3604 | 0.5149 | 0.3596 |
| | | 1.5 | 0.6078 | 0.1681 | 0.7545 | 15.8879 | 1.276 | 0.5285 | 0.4001 |
| | 9 | 0.5 | 0.8047 | 0.289 | 0.9873 | 13.0473 | 1.2511 | 0.4274 | 0.2711 |
| | | 1 | 0.6941 | 0.2037 | 0.7969 | 14.5471 | 1.1627 | 0.4369 | 0.3044 |
| | | 1.5 | 0.5643 | 0.1456 | 0.6546 | 15.3583 | 1.1225 | 0.4613 | 0.3482 |
| k=0.2, α=0.01 | | | | | | | | | |
| 6 | 3 | 0.5 | 0.5208 | 0.8673 | 3.1146 | 9.3966 | 3.178 | 1.2765 | 0.7468 |
| | | 1 | 0.3124 | 0.5507 | 2.3817 | 9.1298 | 2.4927 | 1.0413 | 0.657 |



| | | | | | | | | | |
|--------------|---|-----|--------|--------|--------|---------|--------|--------|--------|
| | 6 | 1.5 | 0.1872 | 0.3655 | 1.816 | 8.472 | 2.1548 | 0.9517 | 0.6426 |
| | | 0.5 | 0.3901 | 0.6185 | 2.2638 | 6.9657 | 2.1237 | 0.8415 | 0.4915 |
| | | 1 | 0.2391 | 0.4117 | 1.7809 | 7.011 | 1.8551 | 0.7701 | 0.4849 |
| | | 1.5 | 0.1465 | 0.283 | 1.4023 | 6.8523 | 1.7262 | 0.7572 | 0.5097 |
| | 9 | 0.5 | 0.315 | 0.4895 | 1.8318 | 5.76 | 1.6159 | 0.6338 | 0.3695 |
| | | 1 | 0.1952 | 0.3329 | 1.4489 | 5.8153 | 1.4902 | 0.6161 | 0.3876 |
| | | 1.5 | 0.1212 | 0.2331 | 1.1564 | 5.7984 | 1.4437 | 0.6315 | 0.4249 |
| 9 | 3 | 0.5 | 0.6988 | 0.6206 | 2.266 | 10.3632 | 2.6334 | 0.9839 | 0.5924 |
| | | 1 | 0.5179 | 0.4153 | 1.7668 | 10.2349 | 2.1226 | 0.8464 | 0.5547 |
| | | 1.5 | 0.3607 | 0.2878 | 1.3984 | 9.6709 | 1.8573 | 0.7946 | 0.561 |
| | 6 | 0.5 | 0.5967 | 0.4674 | 1.7241 | 8.2853 | 1.867 | 0.6896 | 0.4147 |
| | | 1 | 0.4356 | 0.3258 | 1.3866 | 8.4064 | 1.6512 | 0.6525 | 0.4263 |
| | | 1.5 | 0.3015 | 0.2322 | 1.1255 | 8.2598 | 1.5395 | 0.6516 | 0.4576 |
| | 9 | 0.5 | 0.5282 | 0.3865 | 1.4475 | 7.2709 | 1.4885 | 0.545 | 0.3272 |
| | | 1 | 0.3807 | 0.2735 | 1.1703 | 7.3575 | 1.3769 | 0.5408 | 0.3526 |
| | | 1.5 | 0.2619 | 0.1974 | 0.9581 | 7.3209 | 1.3286 | 0.559 | 0.3916 |
| 12 | 3 | 0.5 | 0.9001 | 0.5127 | 1.7537 | 10.6991 | 2.1779 | 0.7992 | 0.5075 |
| | | 1 | 0.814 | 0.3562 | 1.3919 | 10.607 | 1.8064 | 0.7171 | 0.4977 |
| | | 1.5 | 0.7005 | 0.2538 | 1.1279 | 10.1341 | 1.607 | 0.6901 | 0.5173 |
| | 6 | 0.5 | 0.8564 | 0.4008 | 1.3742 | 8.8961 | 1.6071 | 0.5844 | 0.3711 |
| | | 1 | 0.762 | 0.2885 | 1.1266 | 9.0579 | 1.446 | 0.5687 | 0.3937 |
| | | 1.5 | 0.6442 | 0.2105 | 0.9336 | 8.9417 | 1.3597 | 0.577 | 0.4304 |
| | 9 | 0.5 | 0.8224 | 0.3418 | 1.1837 | 8.0766 | 1.3247 | 0.478 | 0.3029 |
| | | 1 | 0.7218 | 0.2486 | 0.9752 | 8.1998 | 1.2377 | 0.4833 | 0.3337 |
| | | 1.5 | 0.6013 | 0.183 | 0.8132 | 8.1715 | 1.1985 | 0.5046 | 0.3751 |
| k=0.1,α=0.05 | | | | | | | | | |
| 6 | 3 | 0.5 | 0.7398 | 0.6776 | 1.8087 | 5.2478 | 2.6235 | 1.1884 | 0.7603 |
| | | 1 | 0.5383 | 0.4439 | 1.5064 | 6.0122 | 2.1331 | 0.9817 | 0.6799 |
| | | 1.5 | 0.3624 | 0.2981 | 1.246 | 6.2635 | 1.8143 | 0.8907 | 0.6667 |
| | 6 | 0.5 | 0.6256 | 0.5071 | 1.4416 | 4.802 | 1.9088 | 0.8114 | 0.5125 |
| | | 1 | 0.4434 | 0.3419 | 1.2062 | 5.5578 | 1.6745 | 0.7418 | 0.5093 |
| | | 1.5 | 0.295 | 0.2349 | 1.005 | 5.9978 | 1.5231 | 0.7218 | 0.5349 |
| | 9 | 0.5 | 0.5449 | 0.4113 | 1.2357 | 4.728 | 1.5297 | 0.6224 | 0.3896 |
| | | 1 | 0.3795 | 0.2808 | 1.0257 | 5.3961 | 1.3952 | 0.6018 | 0.4107 |
| | | 1.5 | 0.2505 | 0.1953 | 0.8539 | 5.8565 | 1.3173 | 0.6105 | 0.4499 |
| 9 | 3 | 0.5 | 0.9375 | 0.5802 | 1.4045 | 5.2258 | 2.1656 | 0.9461 | 0.6417 |
| | | 1 | 0.8704 | 0.4013 | 1.1607 | 5.7079 | 1.7792 | 0.8246 | 0.6118 |
| | | 1.5 | 0.7723 | 0.2808 | 0.9698 | 5.8508 | 1.5405 | 0.7748 | 0.6229 |
| | 6 | 0.5 | 0.9032 | 0.4551 | 1.1411 | 4.9035 | 1.6255 | 0.679 | 0.4584 |
| | | 1 | 0.8249 | 0.3223 | 0.9588 | 5.4588 | 1.4372 | 0.6447 | 0.4763 |
| | | 1.5 | 0.7175 | 0.2297 | 0.8092 | 5.7601 | 1.318 | 0.6418 | 0.5127 |



| | | | | | | | | | |
|--------------|---|-----|--------|--------|--------|--------|--------|--------|--------|
| | 9 | 0.5 | 0.8745 | 0.384 | 0.9984 | 4.9328 | 1.3409 | 0.5425 | 0.3644 |
| | | 1 | 0.7875 | 0.2739 | 0.8365 | 5.4566 | 1.2304 | 0.539 | 0.3964 |
| | | 1.5 | 0.6737 | 0.1966 | 0.7059 | 5.7963 | 1.1658 | 0.555 | 0.4414 |
| 12 | 3 | 0.5 | 0.9923 | 0.5587 | 1.1543 | 5.1312 | 1.8178 | 0.8001 | 0.5841 |
| | | 1 | 0.9837 | 0.405 | 0.9572 | 5.4598 | 1.5247 | 0.7278 | 0.5824 |
| | | 1.5 | 0.9688 | 0.2935 | 0.8066 | 5.5421 | 1.346 | 0.7035 | 0.6088 |
| | 6 | 0.5 | 0.988 | 0.4549 | 0.9521 | 4.8518 | 1.3971 | 0.5958 | 0.4359 |
| | | 1 | 0.9772 | 0.3355 | 0.8066 | 5.2817 | 1.2543 | 0.5832 | 0.4672 |
| | | 1.5 | 0.9591 | 0.2464 | 0.6879 | 5.4989 | 1.1642 | 0.5921 | 0.5121 |
| | 9 | 0.5 | 0.9843 | 0.3956 | 0.8466 | 4.9195 | 1.179 | 0.4907 | 0.3583 |
| | | 1 | 0.9716 | 0.2925 | 0.7167 | 5.3414 | 1.094 | 0.4983 | 0.3984 |
| | | 1.5 | 0.9506 | 0.2157 | 0.6113 | 5.5978 | 1.0444 | 0.5202 | 0.4488 |
| k=0.2,α=0.05 | | | | | | | | | |
| 6 | 3 | 0.5 | 0.766 | 0.7595 | 1.9609 | 4.5933 | 2.5143 | 1.2299 | 0.8034 |
| | | 1 | 0.5756 | 0.5214 | 1.6932 | 4.8993 | 2.071 | 1.0202 | 0.7145 |
| | | 1.5 | 0.4021 | 0.3639 | 1.4383 | 4.8777 | 1.7864 | 0.9254 | 0.6951 |
| | 6 | 0.5 | 0.6552 | 0.5806 | 1.5964 | 3.9874 | 1.8187 | 0.8419 | 0.5433 |
| | | 1 | 0.4792 | 0.4071 | 1.3764 | 4.2957 | 1.621 | 0.7726 | 0.5365 |
| | | 1.5 | 0.3299 | 0.2892 | 1.1712 | 4.4163 | 1.4972 | 0.7519 | 0.559 |
| | 9 | 0.5 | 0.5755 | 0.4773 | 1.3917 | 3.7191 | 1.452 | 0.6465 | 0.4136 |
| | | 1 | 0.4131 | 0.3372 | 1.1843 | 3.9583 | 1.3481 | 0.6276 | 0.4333 |
| | | 1.5 | 0.2816 | 0.2417 | 1.0027 | 4.0944 | 1.2935 | 0.637 | 0.4709 |
| 9 | 3 | 0.5 | 0.9436 | 0.6382 | 1.5374 | 4.6828 | 2.1742 | 1.0051 | 0.687 |
| | | 1 | 0.8833 | 0.4581 | 1.3115 | 4.8844 | 1.8006 | 0.8728 | 0.648 |
| | | 1.5 | 0.795 | 0.3315 | 1.1242 | 4.8556 | 1.5681 | 0.8151 | 0.6522 |
| | 6 | 0.5 | 0.9116 | 0.5084 | 1.2726 | 4.227 | 1.6327 | 0.7239 | 0.4926 |
| | | 1 | 0.8405 | 0.372 | 1.0985 | 4.4892 | 1.4559 | 0.6843 | 0.5057 |
| | | 1.5 | 0.7424 | 0.2731 | 0.9472 | 4.5843 | 1.3437 | 0.677 | 0.5381 |
| | 9 | 0.5 | 0.8845 | 0.4333 | 1.1296 | 4.0875 | 1.3471 | 0.5793 | 0.3922 |
| | | 1 | 0.805 | 0.3183 | 0.9687 | 4.3119 | 1.2473 | 0.5731 | 0.4215 |
| | | 1.5 | 0.7002 | 0.2349 | 0.8325 | 4.4286 | 1.1898 | 0.5867 | 0.4638 |
| 12 | 3 | 0.5 | 0.993 | 0.6057 | 1.268 | 4.6478 | 1.8732 | 0.8596 | 0.6275 |
| | | 1 | 0.9853 | 0.4532 | 1.0815 | 4.7805 | 1.5772 | 0.7765 | 0.6177 |
| | | 1.5 | 0.9721 | 0.3384 | 0.9332 | 4.7432 | 1.3944 | 0.7442 | 0.6377 |
| | 6 | 0.5 | 0.989 | 0.4993 | 1.0626 | 4.2623 | 1.4432 | 0.6425 | 0.4701 |
| | | 1 | 0.9792 | 0.3789 | 0.9225 | 4.482 | 1.3005 | 0.6239 | 0.4968 |
| | | 1.5 | 0.9631 | 0.2859 | 0.8031 | 4.5554 | 1.2092 | 0.6279 | 0.5375 |
| | 9 | 0.5 | 0.9855 | 0.4376 | 0.9563 | 4.191 | 1.2198 | 0.53 | 0.387 |
| | | 1 | 0.974 | 0.3322 | 0.8274 | 4.3923 | 1.1362 | 0.5339 | 0.4242 |
| | | 1.5 | 0.9553 | 0.2512 | 0.7186 | 4.4892 | 1.0868 | 0.5526 | 0.4717 |

Table (3) show the relative risk of the estimator $\tilde{R}_2(t)$ under SELF

| α=0.01 | | λ | | | | | | | |
|--------|----|-----|--------|--------|--------|---------|--------|--------|--------|
| m1 | m2 | p | 0.25 | 0.50 | 0.75 | 1 | 1.25 | 1.5 | 1.75 |
| 6 | 3 | 0.5 | 1.0398 | 1.4874 | 3.267 | 18.2537 | 3.542 | 1.5122 | 1.1456 |
| | | 1 | 0.9374 | 1.1975 | 2.5564 | 25.7041 | 2.8556 | 1.3757 | 1.1161 |
| | | 1.5 | 0.8271 | 0.9618 | 1.9315 | 29.0795 | 2.5414 | 1.3265 | 1.1071 |
| | 6 | 0.5 | 0.9424 | 1.1579 | 2.3909 | 15.9649 | 2.3798 | 1.0031 | 0.7667 |
| | | 1 | 0.8356 | 0.9461 | 1.918 | 22.8238 | 2.1381 | 1.0289 | 0.843 |
| | | 1.5 | 0.722 | 0.7689 | 1.4931 | 27.9082 | 2.056 | 1.0755 | 0.9071 |
| | 9 | 0.5 | 0.8705 | 0.9734 | 1.9446 | 15.5088 | 1.8165 | 0.7577 | 0.5809 |
| | | 1 | 0.7572 | 0.7956 | 1.5648 | 21.6784 | 1.7236 | 0.8283 | 0.6828 |
| | | 1.5 | 0.6425 | 0.6487 | 1.2324 | 27.07 | 1.7292 | 0.907 | 0.7716 |
| 9 | 3 | 0.5 | 0.9535 | 1.2761 | 2.5678 | 17.8954 | 2.7745 | 1.3811 | 1.1859 |
| | | 1 | 0.8994 | 1.107 | 2.0864 | 22.6515 | 2.3553 | 1.2843 | 1.148 |
| | | 1.5 | 0.8366 | 0.9608 | 1.6769 | 24.7589 | 2.1463 | 1.237 | 1.1242 |
| | 6 | 0.5 | 0.898 | 1.0845 | 1.9854 | 16.4088 | 1.9716 | 0.9803 | 0.8559 |
| | | 1 | 0.8347 | 0.9495 | 1.6529 | 21.1825 | 1.8407 | 1.0072 | 0.9115 |
| | | 1.5 | 0.7626 | 0.8248 | 1.3558 | 24.4067 | 1.794 | 1.0388 | 0.9525 |
| | 9 | 0.5 | 0.8538 | 0.9774 | 1.6868 | 16.4512 | 1.574 | 0.7798 | 0.6847 |
| | | 1 | 0.7828 | 0.8494 | 1.4052 | 20.9662 | 1.5393 | 0.8437 | 0.7688 |
| | | 1.5 | 0.7048 | 0.7331 | 1.1586 | 24.5411 | 1.5566 | 0.9056 | 0.8367 |
| 12 | 3 | 0.5 | 0.9787 | 1.1714 | 2.1518 | 17.5211 | 2.342 | 1.3253 | 1.2111 |
| | | 1 | 0.9599 | 1.0653 | 1.8038 | 20.8996 | 2.0531 | 1.2432 | 1.1616 |
| | | 1.5 | 0.935 | 0.9661 | 1.5097 | 22.3433 | 1.8989 | 1.196 | 1.1298 |
| | 6 | 0.5 | 0.9595 | 1.0499 | 1.7261 | 16.333 | 1.7332 | 0.9875 | 0.922 |
| | | 1 | 0.9347 | 0.9613 | 1.4822 | 19.945 | 1.6523 | 1.0074 | 0.9529 |
| | | 1.5 | 0.9022 | 0.8695 | 1.2606 | 22.2144 | 1.621 | 1.027 | 0.9759 |
| | 9 | 0.5 | 0.9432 | 0.9866 | 1.5132 | 16.5658 | 1.4311 | 0.8156 | 0.7662 |
| | | 1 | 0.913 | 0.8951 | 1.298 | 20.0859 | 1.4193 | 0.8682 | 0.8254 |
| | | 1.5 | 0.8745 | 0.8017 | 1.1058 | 22.6666 | 1.4377 | 0.9156 | 0.8734 |
| α=0.05 | | | | | | | | | |
| 6 | 3 | 0.5 | 0.9541 | 1.2169 | 2.0514 | 5.5249 | 2.6922 | 1.3565 | 1.057 |
| | | 1 | 0.8837 | 1.0563 | 1.7987 | 6.5643 | 2.256 | 1.2283 | 1.0434 |
| | | 1.5 | 0.7998 | 0.9023 | 1.5192 | 7.0387 | 1.985 | 1.1751 | 1.046 |
| | 6 | 0.5 | 0.8906 | 1.056 | 1.6916 | 5.1742 | 1.966 | 0.9355 | 0.728 |
| | | 1 | 0.8071 | 0.9111 | 1.4748 | 6.2363 | 1.781 | 0.9417 | 0.8022 |
| | | 1.5 | 0.7125 | 0.7694 | 1.2422 | 6.9645 | 1.683 | 0.9731 | 0.8668 |
| | 9 | 0.5 | 0.8378 | 0.9529 | 1.4903 | 5.2273 | 1.5794 | 0.7213 | 0.55 |
| | | 1 | 0.7456 | 0.8099 | 1.2776 | 6.2347 | 1.4898 | 0.7708 | 0.6571 |
| | | 1.5 | 0.6462 | 0.6755 | 1.0669 | 7.0292 | 1.4656 | 0.8348 | 0.7454 |



| | | | | | | | | | |
|----|---|-----|--------|--------|--------|--------|--------|--------|--------|
| 9 | 3 | 0.5 | 0.983 | 1.0998 | 1.7138 | 5.4436 | 2.2415 | 1.2552 | 1.0974 |
| | | 1 | 0.9648 | 1.0028 | 1.5139 | 6.0729 | 1.9193 | 1.1744 | 1.0688 |
| | | 1.5 | 0.9391 | 0.9046 | 1.3204 | 6.327 | 1.7219 | 1.135 | 1.0523 |
| | 6 | 0.5 | 0.9666 | 1.0004 | 1.455 | 5.1903 | 1.6887 | 0.9176 | 0.8134 |
| | | 1 | 0.9419 | 0.909 | 1.2925 | 5.9142 | 1.5605 | 0.9371 | 0.8594 |
| | | 1.5 | 0.9079 | 0.811 | 1.1265 | 6.359 | 1.4885 | 0.9639 | 0.8948 |
| | 9 | 0.5 | 0.952 | 0.9386 | 1.3179 | 5.312 | 1.3962 | 0.74 | 0.6574 |
| | | 1 | 0.9219 | 0.8412 | 1.157 | 6.027 | 1.342 | 0.7934 | 0.7292 |
| | | 1.5 | 0.8815 | 0.74 | 0.9999 | 6.5378 | 1.3266 | 0.8485 | 0.787 |
| 12 | 3 | 0.5 | 0.9975 | 1.0143 | 1.5022 | 5.3204 | 1.9534 | 1.2258 | 1.1033 |
| | | 1 | 0.9951 | 0.9465 | 1.3452 | 5.7457 | 1.7109 | 1.1674 | 1.0676 |
| | | 1.5 | 0.9914 | 0.878 | 1.2004 | 5.8978 | 1.5598 | 1.134 | 1.0462 |
| | 6 | 0.5 | 0.9953 | 0.9371 | 1.3018 | 5.0927 | 1.5105 | 0.9365 | 0.8615 |
| | | 1 | 0.9919 | 0.8721 | 1.1783 | 5.6337 | 1.4192 | 0.9588 | 0.8871 |
| | | 1.5 | 0.9867 | 0.8021 | 1.053 | 5.9393 | 1.3646 | 0.9802 | 0.9077 |
| | 9 | 0.5 | 0.9934 | 0.8883 | 1.2029 | 5.2305 | 1.2794 | 0.7806 | 0.7215 |
| | | 1 | 0.989 | 0.8179 | 1.0789 | 5.7787 | 1.2451 | 0.8316 | 0.7711 |
| | | 1.5 | 0.9825 | 0.7436 | 0.9565 | 6.1407 | 1.2349 | 0.8778 | 0.8122 |